

Application No. Applicant(s) 10/743,527 XU ET AL. Notice of Allowability Examiner Art Unit Hoa C. Nguyen 2841 -- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308. 1. This communication is responsive to 11/22/06. 2. The allowed claim(s) is/are 1-18. 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). b) Some* c) None a) \square All of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: _____. Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient. 5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date _____. (b) [including changes required by the attached Examiner's Amendment / Comment or in the Office action of Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. Attachment(s) 1. Notice of References Cited (PTO-892) 5. Notice of Informal Patent Application 2. Notice of Draftperson's Patent Drawing Review (PTO-948) 6. Interview Summary (PTO-413), Paper No./Mail Date 3. Information Disclosure Statements (PTO/SB/08), 7. TExaminer's Amendment/Comment Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit 8. X Examiner's Statement of Reasons for Allowance of Biological Material 9. Other

DETAILED ACTION

1. The request filed on 11/22/06 for a Request for Continued Examination (RCE) under 37 CFR 1.114 based on parent Application No. 10/743527 is acceptable and a RCE has been established. An Action on the RCE follows.

Response to Arguments

2. Applicants' arguments; see Remarks, pages 8-9, filed 11/22/06, with respect to claims 1-18 have been fully considered and are persuasive. The rejection of claims 1-18 has been withdrawn.

Allowable Subject Matter

3. Claims 1-18 are allowed.

Reasons for allowable

4. The following is an examiner's statement of reasons for allowance: The examiner agrees with the applicants' Remarks that the best prior references art, Cheng (US 6417460) and Saida et al. (US 5718039), fail to teach, disclose, suggest, either alone or in combination, at least on claims 1 and 10, a multi-layer printed wire board structure comprises a first, second, and third conductive layers; in which, a first insulative-coated conductive layer is formed in between the first and the second conductive layers, and a first insulative layer formed in between the second and the third conductive layer; wherein, each layer has a specific range of thickness and the third conductive layer is at

least about 50 percent thinner than the first conductive layer and the second conductive layer. None of the references art of record teaches or suggests such the structure that has a third conductive layer being at least about 50 percent thinner than the first conductive layer and the second conductive layer.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

5. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Hoa C. Nguyen whose telephone number is 571-272-8293. The examiner can normally be reached on M-F.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Dean Reichard can be reached on 571-272-1984. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a

Art Unit: 2841

USPTO Customer Service Representative or access to the automated information . system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Hoa C. Nguyen 1/29/07

Tuen Birh Tuem Birh All 2841 Page 4